

Name: \_\_\_\_\_ Pd \_\_\_\_\_ Sci Number \_\_\_\_\_ **Day1: Scientific Method & Experimentation**

\_\_\_\_/33 Pts

**#9 Scientific Investigation & Experimentation:** Scientific progress is made by asking meaningful questions & conducting careful investigations. As a basis for understanding this concept and addressing the content in the other three strands, students should develop their own questions & perform investigations. Students will:

- a. Plan & conduct a scientific investigation to test a \_\_\_\_\_.
- b. Evaluate the accuracy & reproducibility of \_\_\_\_\_.
- c. Distinguish between \_\_\_\_\_ & controlled parameters in a test.
- d. Recognize the slope of the linear graph as the constant in the relationship  $y=kx$  & apply this principle in interpreting graphs constructed from data.
- e. Construct appropriate graphs from data & develop quantitative statements about the relationships between variables.
- f. Apply simple mathematic relationships to determine a missing quantity in a mathematic expression, given the two remaining terms (including speed = \_\_\_\_\_, density = \_\_\_\_\_, force = pressure  $\times$  area, volume = area  $\times$  height).
- g. Distinguish between linear & nonlinear relationships on a graph of data.

**Words to use:**  
 Distance/time  
 Data  
 Mass/volume  
 Variable  
 Hypothesis

**1. Vocabulary Crossword**


**6PTS**

**Across**

1. using the senses to gather information
3. a measure of how much surface an object has; length x width
4. pieces of information acquired through experimentation
5. the one factor that is changed during an experiment
6. the amount of space something occupies
11. a possible explanation or answer to a question
14. a unifying explanation for a broad range of hypothesis & observations that have been supported by testing

**Down**

2. a series of steps that scientists use to answer questions & solve problems
7. a summary of many experimental results & observations
8. the SI unit for length
9. the amount of matter something is made of
10. equal to mass/volume
12. the SI unit for temperature
13. the SI unit for mass



Scientific Method	Observation	Hypothesis	Variable
Theory	Data	Law	Meter
Volume	Mass	Gram	Kelvin
Area	Density		

**Scientific Method**

\_\_\_\_/5PTS

**Math in Science**

Column A	Column B
<p>___ 3. I told my classmates that Kaboing! shoes do not help you jump higher and that regular sneakers work better.</p> <p>___ 4. I wanted to know, "Will wearing Kaboing! shoes help me jump higher?"</p> <p>___ 5. I jumped five times in a pair of Kaboing! shoes and recorded the height each time. After resting for 5 minutes, I repeated the test wearing my sneakers.</p> <p>___ 6. I thought I'd jump higher in Kaboing! shoes than in my sneakers.</p> <p>___ 7. I jumped higher in my sneakers than I did in Kaboing! shoes. Kaboing! shoes do not help me jump higher.</p> <p>___ 8. The average height for the five jumps in Kaboing! shoes was 35.5 cm. The average height for the five jumps in my sneakers was 36 cm. On average, I jumped half a centimeter higher in my sneakers than I did in Kaboing! shoes.</p>	<p>a. Ask a question.</p> <p>b. Form a hypothesis.</p> <p>c. Test the hypothesis.</p> <p>d. Analyze the results.</p> <p>e. Draw conclusions.</p> <p>f. Communicate the results.</p>

1. a cereal box has a mass of 340g. its dimensions are 27cm x 19cm x 6 cm. what is the volume of the box?

2. Each of two cement building blocks has a volume of 2.5L. The mass of block A is 5kg, and the mass of block B is 7kg. find the difference in the densities of the two blocks (density = mass / volume)

**Variables & Controls:**




3. Imagine that you are conducting an experiment in which you are testing the effects of the height of a ramp on the speed at which a toy car goes down the ramp. 1. What is the variable in this experiment? 2. What factors must be controlled?

1.

2.

**Finding Volume: Volume (V)** is the amount of space something occupies. It is expressed in cubic units such as cubic meters (m<sup>3</sup>) and cubic centimeters (cm<sup>3</sup>). Use the equations below for volume of cubes & prisms.


Object	Solid Rectangular Prism
Examples	Block, cube, box, crate
Equation	Volume = length x width x height =
SI Unit	cubic meter (m <sup>3</sup> )
Other Units	_____

		
1. Volume = _____	2. Volume = _____	3. Volume = _____

When choosing which cylinder to use, always choose the \_\_\_\_\_ one. The smaller the cylinder, the more \_\_\_\_\_ it is.

Note the level at the \_\_\_\_\_ of the curve, or the \_\_\_\_\_.




Object	Solid Irregular Objects
Examples	Key, lump of clay, paperclip, metal rod...
Measure By:	_____ Method
Units	Milliliters (ml), Liter (l)




10 pts for these sections

\_\_\_\_/10

**Volume of Liquids**


 <p>7. _____ ml</p>	 <p>8. _____ ml</p>	 <p>9. _____ ml</p>
--	--	---

### Measuring Temperature: You Try It!



### Sample Test Questions THESE WILL BE GRADED AND WILL COUNT TOWARD YOUR NOTEBOOK SCORE

- A student wanted to find out if changing the volume of water changes its density. Which statement is a prediction that the student could test in his investigations?
  - Water is not very dense
  - The density of water increases as its temperature increases
  - The density of water remains the same no matter how the volume of the sample is changed
  - Density equals mass divided by volume
- A student conducting an experiment wants to make sure his results are reliable. What should he do?
  - Repeat the experiment several times and average the results
  - Repeat the experiment several times and use the fastest results
  - Repeat the experiment using a different responding variable
  - Repeat the experiment using a different manipulated variable
- The actual length of a rectangular room is 6.60 meters. A student measures the length of the room three times and gets measurements of 7.49 m, 7.50 m, and 7.48 m. The student's measurements can be described as
  - both accurate and reproducible
  - reproducible but not accurate
  - accurate but not reproducible
  - neither accurate nor reproducible
- Which parameter in this experiment was the responding variable (dependent variable)?
  - The temperature of the water
  - The location of the insulated mug
  - The brand of insulated mug
  - The length of time the water was allowed to cool




- An experiment involves measuring the time it takes for heat to be conducted along the lengths of several bars made of different substances. The bars have the same length and the same cross-sectional area. What is the manipulated (independent) variable in this experiment?
  - The length of each bar
  - the time during which heat is conducted
  - The substance of which each bar is made
  - The cross-sectional area of each bar
- A student designs a controlled experiment to test how the shape of an object affects how fast it falls when dropped. Which of the following is **NOT** a controlled parameter in the student's experiment?
  - The shape of the object
  - The height from which the object is dropped
  - The mass of the object
  - The initial velocity of the object
- What information does the slope of a line on a graph provide?
  - how much **y** changes for every change in **x**
  - how much **x** changes for every change in **y**
  - how much the manipulated variable changes with the responding variable
  - how much the independent variable changes with the dependent variable

8. A scientist heated a balloon. As the balloon was heated, the gas inside expanded. The scientist measured the balloon's size at every temperature increase of 10 degrees and then graphed the data as shown.

What would be the size of the balloon if the temperature were 60°C?

- A 72 mL      B 75 mL      C 78 mL      D 80 mL



9. What is the slope of the line?

- A 0.3°C/mL      B 0.3 mL/°C      C 3°C/mL      D 3 mL/°C

10. On a line graph, the x-axis is labeled with the name of the

- A. Manipulated variable      B. Responding variable      C. Controlled variable      D. Categories being compared

11. A bar graph would be **best** used to graph which of the following?

- A showing how the mass of an object affects how fast it falls  
 B showing how far a train travels in a certain amount of time  
 C showing the percentage of Earth's crust made up of iron  
 D comparing the boiling points of different elements

12. A student collected these data while testing how the pressure of a gas changed at different temperatures.

What kind of graph should the student use?

- A circle graph  
 B line graph  
 C bar graph  
 D pie graph

Temperature (K)	Pressure (kPa)
273	8
278	11
283	14
288	17
293	20

Additional notes: **9c.** Distinguish between variable and controlled parameters in a test. Parameter is a factor that can be measured in an experiment. Variable parameters change during the experiment

**Manipulated variable** - the parameter that is changed

**Responding variable** - the parameter that changes in response to the manipulated variable


**Controlled parameter** - not changed during experiment

**Controlled experiment** - only one parameter is manipulated at a time

**Manipulated variable:** slope of ramp. You change the angle of the ramp to see how it changes the speed

**Responding variable:** speed. What we want to find out. The results that we measure

**Additional notes: 9d:** Recognize the slope of the linear graph as the constant in the relationship  $y = kx$  and apply this principle in interpreting graphs constructed from data



**Controlled Parameter:** same ball used for each trial

**Slope** is the steepness of the graph line

- The slope tells you how much  $y$  (responding variable) changes for every change in  $x$  (manipulated variable)
- The rise moves up the  $y$ -axis
- The run moves to the right along the  $x$ -axis
- The steeper the slope the greater the rate of change

Use the formula:

$$\text{slope} = \frac{\text{rise}}{\text{run}}$$

Positive slope:

**Pie Charts or Circle Charts:** used to display the sizes of parts that make up some whole.

1993: US Imports

**Bar Graph:** used to compare the amount or frequency of occurrence of different characteristics of data. Best suited when there is a qualitative independent variable

April 2007 Fruit Sales

**Line Graph:** used to display data that show how one variable (the responding variable) changes in response to another variable (the manipulated variable)

Dependence per Pupil in Average Daily Attendance: Selected years, 1977-78 through 2002-03

**Additional notes: 9e:** Construct appropriate graphs from data and develop quantitative statements about the relationships between variables