

2 pts ec printing

Name		
Partners in this Project:		
Science Nu	mhar: Groun#	

Due \_In Physics Lab Notebook\_\_ Period \_\_\_

# **Energy and Roller Coasters**

My dream rollercoaster		
Webquest Tasks		
Computer Engineer:	Materia	als Coordinator:
Artistic Designer:	Physici	ist:
Part 1: Physics Re	esearch	
Step A: Define the following  Acceleration	terms (2 points each)  Centripetal Force	Momentum
Treeer union	Centripetat 1 vice	
Newton's 2 <sup>nd</sup> Law	Kinetic Energy (KE)	Potential Energy (PE)

### Step B: What is Energy? (2 points each)

1.	Energy & Work - Working Together (page	214)	
	· Energy is the ability to do	<b>-</b> -	
	· Work occurs when a cause	es an object to move in the	of the force.
	$\boldsymbol{\cdot}$	is the	
2.	Kinetic Energy is Energy of Motion (p 215)		
	· Do all moving objects have kinetic energy	y?	
	· Kinetic Energy Depends on	&	
	• The equation for Kinetic energy [KE] is:		
		KE =	
	· Order the vehicles from <b>figure 3</b> with the		
3.	Potential Energy is Energy of Position (p 2	216)	
	· Potential energy [PE] is the energy an obj	ject has because of its	or
	· One example of an object with potential e	energy is	
	· Gravitational Potential Energy Depend	ds on &	
	• The equation for gravitational PE is:		
		PE =	
4.	<b>Mechanical Energy Sums It All Up</b> (p 217)		
	· What is the equation for mechanical ener	·gy?	
	Mechanical Energy =		
5.	<b>Forms of Energy</b> (p 218-221)		
	Label each type of energy:		
	• Energy: the total KE of the	he particles that make up an object	
	• <b>Energy</b> : the energy of a compounds, a form	compound that changes as its atoms m of PE	s are rearranged to form nev
	• Energy: the energy of mo	oving electrons, a form of KE	
	•Energy: caused by an obj	ject's vibrations, a form of PE & KE	
	·Energy: produced by the	e vibrations of electrically charged p	particles
	• Energy: associated with	changes in the nucleus of an atom	

En	ergy Conversion
6.	An energy conversion is a
7.	From Kinetic to Potential & Back (page 222)  Complete Figure 15.
8.	Conversions Involving Chemical Energy (p 223-224) What are 2 examples of converting energy?
	increasing PE =increasing decreasing
Co	nservation of Energy
9.	Where does the energy go? (page 229)
	· On a roller coaster, where is PE the greatest? Least?
	What force prevents an object's PE from converting into KE?
	· When energy is used to overcome friction, some of the energy is converted into energy
10.	Energy Is Conserved Within a System (page 230)
	· A closed system is a well-defined group of objects that energy between one another
	· An example that involves a roller coaster consists of the track, the, & the surrounding
	• On a roller coaster, some mechanical energy (KE + PE) is transferred into energy (because of friction) & energy (because of the noise). Overall, you end up with the total amount of energy as the original amount of energy.
	• The <b>law of conservation of energy</b> says that energy can neither be nor
	· One example of conservation in a closed system is a light bulb. While not all of the original is converted into light energy, no energy is
	Figure 24 Energy Conservation in a Light Bulb
	Energy is converted to
	Electrical energy is converted to
	Electrical energy is converted to

<ul><li>Step C: Energy Math (2 points each)</li><li>1. A 5000 kg truck is moving at a velocity of 30 m/s. How much kinetic energy does it have?</li></ul>	4. If you lift a 50 N watermelon to the top of a 2 m fridge, how much <b>potential energy</b> does it have?
<ol> <li>A 12 kg dog is running at a velocity of 5 m/s. How much <b>kinetic energy</b> does it have?</li> </ol>	5. Your angry teacher is holding a 1 N book over your head at a height of 0.5 m. How much <b>potential energy</b> does the book have?
3. A 5000 kg truck is moving at a velocity of 30 m/s. How much <b>kinetic energy</b> does it have?	6. Two divers are standing at the end of a 10 m diving platform. The first diver, Andy, weighs 20 N. The second diver, Jim, weighs 30 N. Which one has more <b>potential energy</b> ?
Step D: BrainPOP- Potential Energy (PE) &	Kinetic Energy (KE) (1/2 point each)
1. KE & PE are the 2 types of energy that relate to:  a. Change b. Friction c. Density d. Motion  2. Which object has the most PE? a. A ball resting on the ground b. A ball thrown at 100 mph c. A ball on top of a refrigerator d. A ball resting on a cliff  3. When does a yo-yo have the most PE? a. When it's at its highest point b. When it's at its lowest point c. When it's moving at top speed  4. When is PE transformed into KE? a. When an object at rest is lifted to a higher elevation b. When an object at rest is put into motion d. When an object in motion is stopped and put at rest  5. Which is the best synonym for PE? a. Stored energy b. Energy of motion c. Energy due to gravity d. Mechanical energy	<ul> <li>6. Why do object at high elevations have more PE than objects at low elevations? <ul> <li>a. Because the thinner air at higher elevations means objects have a greater potential to move fast</li> <li>b. Because gravity gives objects at high elevations the potential to fall much further</li> </ul> </li> <li>7. The amount of KE an object has depends on its <ul> <li>a. Mass &amp; volume</li> <li>b. Volume &amp; friction</li> <li>c. Mass &amp; speed</li> <li>d. Speed &amp; density</li> </ul> </li> <li>8. Which of the following has the most KE? <ul> <li>a. A car traveling at 80 kph</li> <li>b. A tractor-trailer traveling at 80 kph</li> <li>c. A cheetah running at 80 kph</li> <li>d. A motorcycle traveling at 80 kph</li> </ul> </li> <li>9. When is KE transferred from object to object? <ul> <li>a. When those objects pass one another</li> </ul> </li> </ul>
Step E: Describe two animations (2 points each) Animation:	
Animation :	
	/21

## **Part 2: Roller Coaster Research**

Step F: History of Roller Coasters (1 point each)

1.	When & where did the first roller coasters appear?
2.	What was the first coaster made of?
3.	The coasters were eventually brought to Paris in in the form of <i>Les Montagnes Russes</i> . Small wheels were added to the sleds, but little attention was given to Oddly enough, the injuries that passengers suffered from runaway cars attendance.
4.	At the turn of the century, trolley companies built amusement parks at the end of their lines to attract riders.  The best-known trolley terminus was in New York City
5.	Approximately how many coasters are in the world?
6.	What & where is the largest steel coaster?
	· How big is it?
7.	How fast is the fastest steel coaster?
α.	
Ste	ep G: Roller Coaster Elements (9 point each)
	ep H: Roller Coaster Motion (4 points) w does a roller coaster continue to move through the twists and turns of its track if it only uses power at the beginning?

Step I: Successful Designs (6 points)

<b>Notable Features</b>	Height	Length	Top Speed
	Notable Features	Notable Features Height	Notable Features Height Length

## Part 3: Design & Planning

Step J: The Design (2 points each)

- 1. Draw a picture of a clothoid loop & a circular loop. Why is a clothoid loop preferential to a circular loop?
- 2. Describe two major differences between wooden and steel coasters.
- 3. What features do most roller coasters have?
- 4. How do most roller coasters start?
- 5. How do most roller coasters exit?

### **Part 4: Testing**


Goal: To build a complex marble roller coaster & calculate the marble's average speed.

**Final Product:** A poster of your group's final coaster, including all of its important measurements.

- 1. Get 4 foam tubes & a bag of supplies (marble, plastic cup, measuring tape, stopwatch, masking tape). Careful, your group is responsible for returning everything just as you received it.
- 2. How long is the track? Measure the length in METERS (hint: each one is 6 feet).

•	Total Track Length:	meters

- 3. Find an empty section of the room. Use masking tape to connect the 4 pieces together to make a track. BE CAREFUL ABOUT THE TAPE: please don't put it on anything that will rip like paper or non-laminated posters. The end of the coaster must empty into the cup.
- 4. Release the marble down the track. Play around with the coaster to get the biggest, fastest, best one you can.
- 5. Draw your coaster in the box on the following page.
- 6. Measure each part of the coaster. Record the measurements on your drawing & be sure to measure in centimeters or meters!! Use the example below. Include the following:
  - Starting & ending height
  - Height & width of each loop and/or hill



- 7. Release the marble down the track & time how long it takes to complete the track.
  - Time: \_\_\_\_\_
- 8. Determine the average speed of your marble (average speed = total distance / total time).
  - Average Speed of Marble:
    \_\_\_\_\_\_\_

# MY GROUP'S ROLLER COASTER & MEASUREMENTS

### Coaster Conclusion (2 points each)

1.	What happened to the PE & KE of the marble as it traveled through the track? Explain.
2.	Which force opposed the motion of the marble as it moved? Explain.
3.	Does your roller coaster obey the law of conservation of energy? Explain why or why not.
4.	What happened to the velocity of the marble as it accelerated down its first hill?
5.	List 3 important rules about building a successful coaster.
6.	What was your favorite part of this project? Least favorite?

### • Part 6: Group Evaluation

Everybody in the group is responsible for participating, helping, cleaning, and working. Also, everyone is responsible for contributing their opinion and evidence to support their opinion. Below, **list each group member,** including yourself, and **grade their participation & cooperation** throughout this project. PROVIDE EVIDENCE.

		out of 5 points because	
		out of 5 points because	
MOST understand t	oout this project? Wha	t did you find frustrating? What helped yousters? What would you want to do again? he physics?	